Carbohydrate Research, 220 (1991) c31–c32
Elsevier Science Publishers B.V., Amsterdam

CONTENTS

(Abstracts/contents lists published in: Chem. Abstr.; Curr. Contents: Phys., Chem. & Earth Sci.; Life Sci. Full texts are incorporated in CJELSEVIER, *a file in the Chemical Journals Online database which is available on STN® International.)*

Assignment of the ^{1}H chemical shifts of glycogen
L.- H. Zang, A. M. Howseman, and R. G. Shulman (New Haven, CT, U.S.A.) 1

The crystal structure of the inclusion complex of cyclomaltoheptaose (β-cyclodextrin) with 3,3-dimethylbutylamine
I. M. Mavridis, E. Hadjoudis (Athens, Greece), and G. Tsoucaris (Chatenay-Malabry, France) 11

Conformations of (1→4)-linked α-D-galacturono-di- and -tri-saccharides in solution analysed by n.m.r. measurements and theoretical calculations
M. Hricovíni, S. Bystrický, and A. Malovíková (Bratislava, Czechoslovakia) 23

Physico-chemical properties of aqueous solutions of xanthan: An n.m.r. study
A. Gamini, J. de Bleijser, and J. C. Leyte (Leiden, The Netherlands) 33

^{31}P-N.m.r. spectroscopy in wood chemistry. Phosphite derivatives of carbohydrates
Y. Archipov, D. S. Argyropoulos, H. Bolker, and C. Heitner (Montreal, Que., Canada) . 49

Claisen rearrangement of hexenopyranoside allyl ethers: A new approach to α-branched-chain dicarbonyl sugars
K. Furuichi, H. Hashimoto, and T. Miwa (Osaka, Japan) 63

Reaction of pyranoid and furanoid aldonolactones with chloromethyltrimethylsilane-derived reagents
B. I. Glänzer and R. Csuk (Heidelberg, Germany) 79

Structure and bioconversion of trehalose lipids
M. Martín, P. Bosch, J. L. Parra, M. J. Espuny, and A. Virgili (Barcelona, Spain) 93

A one-step *C*-linked disaccharide synthesis from carbohydrate allylsilanes and tri-*O*-acetyl-D-glucal
A. de Raadt and A. E. Stütz (Graz, Austria) 101

Synthesis of D-erythroascorbic acid from D-glucose
L.-X. Gan and P. A. Seib (Manhattan, KS, U.S.A.) 117

Regio- and stereo-selective synthesis of ganglioside GM1b and some positional analogs
H. Prabhanjan, A. Kameyama, H. Ishida, M. Kiso, and A. Hasegawa (Gifu, Japan) . . . 127

Benzoylated hexa-2,4-dien-4-olides from aldono-1,4-lactones: stereoselective synthesis of dideoxy-aldonolactone derivatives
C. Marino, O. Varela, and R. M. de Lederkremer (Buenos Aires, Argentina) 145

Synthesis of a novel series of 4-*O*-phosphono-D-glucosamine derivatives (lipid A subunit analogs) carrying the *C*-branched 2-tetradecylhexadecanoyl group
Y. Ogawa, Y. Fujishima, H. Ishida, M. Kiso, and A. Hasegawa (Gifu, Japan) 155

Structure of the capsular polysaccharide and the O-side-chain of the lipopolysaccharide from *Acetobacter methanolicus* MB 58/4 (IMET 10945), and of oligosaccharides resulting from their degradation by the bacteriophage *Acml*
H. D. Grimmecke, U. Mamat, W. Lauk (Leipzig, Germany), A. S. Shashkov, Yu. A. Knirel, E. V. Vinogradov, and N. K. Kochetkov (Moscow, U.S.S.R.) 165

The preparation of *O*-methyl- and *O*-ethyl-celluloses having controlled distribution of substituents
T. Kondo and D. G. Gray (Montreal, Que., Canada) 173

Structure of the capsular polysaccharide from *Actinobacillus pleuropneumoniae* serotype 10
L. M. Beynon, J. C. Richards, and M. B. Perry (Ottawa, Ont., Canada) 185

Reactions of methyl 4,6-*O*-benzylidene-2,3-dideoxy-2-*C*-*p*-tolylsulfonyl-*β*-D-*erythro*-hex-2-enopyranoside and its phenyl analog with several nucleophiles; stereoselective preparation of 3-*O*-acyl-D-*arabino*- and -D-*ribo*-hex-1-enitol derivatives
I. Takai, A. Yamamoto, Y. Ishido (Tokyo, Japan), T. Sakakibara, and E. Yagi (Yokohama, Japan) 195

Notes

Reactivities at the O-2, O-3, and O-6 positions of cycloamyloses in Hakamori methylation
C. T. Rao and J. Pitha (Baltimore, MD, U.S.A.) 209

On the preparation of carbohydrate sulfates by displacement of trifluoromethanesulfonates
J. A. Hyatt and J. L. Little (Kingsport, TN, U.S.A.) 215

Re-examination of the structures of the lipopolysaccharide core oligosaccharides from *Rhizobium leguminosarum* biovar phaseoli
U. R. Bhat, B. S. Krishnaiah, and R. W. Carlson (Athens, GA, U.S.A.) 219

Carbon-13 n.m.r.-spectral study of *Acacia xanthophloea* gum and its degradation products
G. L. de Pinto (Maracaibo, Venezuela) 229

Assignment of ^{13}C-n.m.r. signals for reduced isomaltooligosaccharides
A. Shimamura, H. Tsumori, and H. Mukasa (Saitama, Japan) 243

Preliminary communications

Synthesis of α-D-galactopyranosyl-linked oligosaccharides having an anomeric 4-nitrophenyl group by the use of a 2,6-di-*O*-(4-methoxybenzyl) derivative of D-galactose as a donor
R. K. Jain, A. K. Sarkar, and K. L. Matta (Buffalo, NY, U.S.A.) c1

The reaction of 3-deoxy-D-*glycero*-pentos-2-ulose ("3-deoxyxylosone") with aminoguanidine
J. Hirsch (Columbia, MO, U.S.A.), J. W. Baynes, J. A. Blackledge (Columbia, SC, U.S.A.) and M. S. Feather (Columbia, MO, U.S.A. c5

Announcement c9

Author index volume 220 . . . . . c11

Subject index volume 220 . . . . . c13

Cumulative author index volumes 201–220 . . . . . c15

Contents volume 220 . . . . . c31